REMARKS

Claims 1-10 are pending. Claims 11-20 were canceled previously. Previously presented claims 1-10 were allowed in a Notice of Allowance dated July 20, 2009. Claims 1, 4, 6 and 9 are amended herein.

Interview Summary

Applicant thanks the Examiner for his time and consideration during the telephonic interview on August 26, 2009 with Applicant's representatives Kathryn Doyle and Domingos Silva. The interview is summarized herein, in accordance with MPEP § 713.04, by way of the following remarks.

Claim Amendments

Claims 1, 4, 6 and 9 is amended to replace the term "esroline" with the term "eseroline". This amendment corrects a typographical error that would be easily recognized by those skilled in the art. Support for this amendment may be found on page 3, line 8 of PCT International Patent Publication WO 03/082270, the content of which was incorporated in its entirety by reference on page 4, lines 15-17 of the as-filed specification. No new matter is introduced by way of this amendment.

During the telephonic interview on August 26, 2009 with Applicant's representatives, the Examiner stated that he had run a prior art search for the present application using the terms "eseroline" and "esroline", and did not identify any reference that teaches or suggests the subject matter of the currently amended claims.

PHIP/ 766679.1 4

Summary

Applicants respectfully submit that claims 1, 4, 6 and 9 are now in condition for allowance, along with claims 2, 3, 5, 7, 8 and 10. Applicants further submit that no new matter has been added by way of the present amendments. Entry of the present Amendment is respectfully requested in order that the allowed claims can proceed to issuance.

Respectfully submitted,

GOSSE B. BRUISMA

By:_

KATHRYN DOYLE, Ph.D.

Registration No. 36,317

DRINKER BIDDLE & REATH, LLP

One Logan Square 18th & Cherry Streets

Philadelphia, PA 19103-6996

Telephone: (215) 988-2700 Direct Dial: (215) 988-2902 Facsimile: (215) 988-2757

E-Mail: kathryn.doyle@dbr.com

KD/DJS/aas

August 27, 2009

5